

1/32

10




Figure 1




Figure 2A (MAC Frame Format)




Figure 2B (Frame Control Field)




Figure 2C (WEP Encrypted Frame Format)

3/32




Figure 3

4/32




Figure 4

5/32




Figure 5

6/32




Figure 6

7/32




Figure 7

8/32




Figure 8

9/32




Figure 9

10/32




Figure 10

11/32




Figure 11

12/32




Figure 12

13/32




Figure 13

14/32




Figure 14

15/32




Figure 15

16/32




Figure 16

17/32




Figure 17

18/32




Figure 18

19/32




Figure 19

20/32




Figure 20

21/32




Figure 21

22/32




Figure 22

23/32




Figure 23

24/32




Figure 24

25/32




Figure 25

26/32




Figure 26A (Authentication Transaction Sequence Number Fixed Field)




Figure 26B (Reason Code Fixed Field)




Figure 26C (Status Code Fixed Field)

27/32




Figure 27A (Capability Information Fixed Field)




Figure 27B (SSID Information Element Format)




Figure 27C (DS Parameter Set Information Element Format)

28/32

!

Expert UI Object Properties ? X

Objects | Alarms | Protocols | Subnet Masks | RIP Options | 802.11 Options

0	Analyze
Service	
Application	
Session	
Connection	
Station	
DLC	
Wireless	
IEEE802.11 MAC	Yes
Wan Connection	Yes
Wan Link	No
Wan Call	
ATM Flow	
ATM Connection	
Global	
Route	

Enable All

Disable All

OK Cancel Apply Help

Figure 28

29/32




Figure 29



31/32




Figure 31

32/32

Sniffer Wireless - Local, 802.11 Wireless LAN DS Channel 6 - Signal Level 28 % - [Etsco_monday_channel6.cap: Export, 10777 802.11 LAN's Frames] [X] [C] [X]

File Monitor Capture Display Tools Database Window Help

Layer Diagnose Symptoms Objects

Wireless (4) 4 38 76

First Time	Duration	Description	Object
7/5/2001 17:08:...	<1ms	Association Failure	Agave DECFD3
7/5/2001 17:08:...	<1ms	Association Failure	Lucas02841C
7/5/2001 17:08:...	<1ms	Association Failure	Lucas02841C
7/5/2001 17:08:...	<1ms	Association Failure	Agave DECFD3

Alarms Agave DECFD3

Association Failure	Falling Station Address	AP Address	Association Failure Code
	Agave DECFD3	Altor3A21ED	17

Association Failure	Falling Station Address	AP Address	Association Failure Code
	Agave DECFD3	Altor3A21ED	17

ADK Frame "Inout"	WLAN Address
	Agave DECFD3

Protocol	Frames	Bytes
IEEE802.11 MAC	10,777	2,08K

Export (Decode Matrix) Host Table Protocol List Statistics / For Help, press F1

347

Figure 32